

II B. Tech II Semester Supplementary Examinations January – 2014
FORMAL LANGUAGES AND AUTOMATA THEORY
 (Computer Science and Engineering)

Time: 3 hours

Max. Marks: 75

Answer any **FIVE** Questions
 All Questions carry **Equal** Marks

- Define and explain briefly about the following:
 - A Deterministic Finite State Automaton.
 - Notation For configuration for such an automaton.
 - The notation such that an automaton produces output 'u' on input 'w'.
 - The notation such that an automaton computes a function
- a) Construct NFA for given NFA with ϵ -moves Figure 1.




Figure 1.





Figure 2.

- Construct DFA for given NFA Figure 2.
- a) Design a Moore machine to determine the residue mod 5 for each ternary string (base3) treated as ternary integer.
 b) Convert the following Mealy machine into equivalent Moore machine.



- Construct Minimum state DFA for the following Regular expression $((ab)^* \cup (bc)^*)ab$

- Give CFG for generating odd palindromes over the string {a,b}
- Design PDA for $L = \{WCW^R / W \in (0+1)^*\}$

- Write and explain Closure properties of CFL's

- Design Turing Machine for the language $L = \{a^n b^n c^n / n > 1\}$

- Discuss about:

- Church's hypothesis
- NP Problems

|||||


II B. Tech II Semester Supplementary Examinations January – 2014
FORMAL LANGUAGES AND AUTOMATA THEORY
 (Computer Science and Engineering)

Time: 3 hours


Max. Marks: 75

Answer any **FIVE** Questions
 All Questions carry **Equal** Marks

- Design DFA which accepts even no. of 0's over $\{0, 1\}$
 - Design DFA which accepts Language $L = \{100, 101\}$
- For the following NFA with ϵ -moves convert it in to an NFA without ϵ -moves and show that NFA with ϵ -moves accepts the same language.



- Construct FA for the following regular expressions
 - $(0+1)^*(1+00)(0+1)^*$
 - $0+10^*+01^*0$
- Obtain a Right Linear Grammar for the language $L = \{a^n b^m \mid n \geq 2, m \geq 3\}$
 - Obtain a Left Linear Grammar for the DFA shown below.



- Convert the following Grammar into GNF

$$\begin{aligned} E &\rightarrow E+T / T \\ T &\rightarrow T * F / F \\ F &\rightarrow (E) / a \end{aligned}$$

- Construct PDA for the Language $L = \{w c w^R \mid w \in (a+b)^*, \text{ where } w^R \text{ is reverse of } w\}$.
- Design Turing Machine for the language $L = \{a^n b^n c^n \mid n > 1\}$
 - State and prove Rice's theorem
- Write short note on:
 - Post Correspondence problem.
 - LR(0) Grammar.